2000 - 2099

3100 - 3219

2000 - 3200

2000 - 3200

2000 - 3200

a – madre (Spanish)
ĕ – let (English)
ss – very sibilant s, almost sh (as cacuminal)
ŏ – short o
o – long o
i – as in Spanish
u – as in Spanish
ă – at (English)
ü – as in German
sh – as in English
ŭ – as in English up
ch at end of word as in German buch
j = h
ə = e indefinida casi eu de fleur
ts = t͡s (de notación fonética)
oy = o͡y (" " ")
ng = n̓
* = de etimología forastera en Kamsá
sᵉf = sf (con la f vocalizada)

Nov. 29, 1941.

Words in Kansa

maize (granos) – ma'tsĕ) (ssbwa'-chan)
arracacha – yeng-gŏ'
papa en general – bă-mo'
papa guata – *gua-tí' (< inga wata = año)
papa chaucha – *chau-chi'
frijol en general – tsŭm'-bĕ
frijol estranjero (rojo-amarillo) – *estranjĕri'
frijol blanco – tssa'-bĕ (good) – tsŭm'-bĕ
" " negro
arroz – the same or castillarroz
trigo (plant) – trigo-ssă
trigo (seed) – trigo-mesh
trigo (flour) – *arnĕ-ndja'
maize (flour) – ha- ndjĕ tssnă
maize mazorca seca – ma tsĕtss'
maize caña – ssu-ssă'
maize tierno – ~~cho-klo~~ "chocló" – ssu-matss'
maize blanco – *ca-pi-atss' (mazorca); (granos) *ca-pi-a-mĕts' (< inga capia)
maize amarillo – *mo-ro-chitss' (mazorca); (granos) mo-ro-chmĕts
(> "morocho")

maize negro – i-ku-ñatss' (mazorca); (granos) i-ku-ña'-mĕts

black = ʃ t̪eŋgă'

chicha de maiz - bo-koy'
arrepa - *bo-luan-bĕ'
tortilla (a thin arrepa) - *tor'-chĕn'
cebada - the same, but accented on last syllable
platano - *blan-dit'-ssa' <*palandan (inga) = plàtano
platanero - *blan-dit-ssĕss'
chonta (tree-fern) - tsa-ssüsh'
" madera - " " or *chon-tush'
manzana - the same
fino - *pi-nüsh' (arbol and madera)
frailejón - *frailejon üsh'
calabazas - *kl ba süsh

maiz morado - bur-way-itsh'
Erythrina edulis? - tsum besh

yerba en general – sha-kwan'

arbol – bĕ-tie'

madera – ni-nüsh'

raiz – tu-bo-tŭch'

ramo – bwa-kwash'

corteza – tu-bo-bwatch'

flor – hwan-sskf-jo'

hoja – tsu-hwan-natch'

fruta ~~seca~~ tierna – ketsan-ssĕ-hwa'-na

semilla en general – semil (the same)

helechio – bong-guss'

naranjilla – mashakbĕ (fruta roja redonda

"(arbol) mashakubja (?Solanum quitoense?)

Datura arborea
Datura sanguinea
Red Solanum
} borrachero

paja – b-ta sha

Putumayan, Caquetan + Amazonian names of plants in Ruiz Nova, Juan C. "Contrib. al estudio de la Climatología y patología de las regiones del Put, Caquetá y amazonas colombianos" 19-26

19 aceite de andiroba seeds of Carapa guyanensis
" " bacaba } Aenocarpus bacaba Palm.
" " milpesos }
" " clavo Dicypellium caryophyllatum
20 " " copaiba Copaifera officinales
" " cachipay o chontaduro Gilielma speciosa (fermented drink) palm.
" " ceje o de dendé palms.
" " castaña Bertolletia excelsa Myrtaceae
" " patahuá Aenocarpus distichus palm
" " marití Mauritia flexuosa palm (make drink)
" " Ucahuba Myristica fragrans
" " umirí Umirium balsamiferum
" " sacristán Euterpe oleracia Palm
" " sarrapia Dipterix odorata (Leg.)
" " piquía (condiment) Caryocar amygdaliferum
" " Tamamaré

21 Anajas - fibres Maximiliana Regia
Asacú Hura amazonense leche to poison fish.
almezclosco Calophyllum americanum - resin to burn
achiote
acapú. Andira Aubletii - construct. wood.
barbatimón Pithecellobium ovaremotense - dye
burañero Chrysophyllum med.
bacury Platonia insignis wood
benjuí Benzoin officinale
castañero Bertholletia fibres
carapa Cedrela guyanensis

Culebrillas Vateria guyanensis
Cañafistula
Coca — Erythroxx.
22 Cascarilla = quina
Canamomo - Urespilodefne Sassafras. Like canela
cunati - red dye from bark turns black with urine
carayú — Begnon. vine. Purple dye.
cedro rojo Cedrela speciosa } woods.
" blanco " odorata }
cahichi Andira speciosa wood
caimito Lucuma? — wood
embirá Xylopia — fibre from bark.
fustoque Machura tintorea - yellow dye.
guadua - bamboo
guariuba - Galipea speciosa - red-yellow wood.
guaraná - Paullinia sorbelis
23 gamelera - Ficus doliaria med.
guasimo - Uresa lobata - fibre
itauba - Acroleduim itauba. — wood
ipecacuana - Cephaëlis - - -
jacarandal - Dalbergia negra - good wood almost connected to Caqueta
juuna - roots antisyphiticis
jurubeba - " antidyspept.
jauiarí - Astrocaryum jauiarí - fibre palm.
jagua - Jangia sp. wood.
Jaroo or jaroba Leopoldinia pulchra - yellow dye from bark.
macayó Acromia lasiospata - vermifuge.

mamaurana Carolinea principes febre
carupá - juncí de Amazones - root for antidysentery
molongó - Umbellif. tuber - a resinous liquid distilled
murta - Eugenia sp. Conc. juice hemostatic external use.
manacá - Mercurius - med.
moscada - Myristica guyanensis - Reddye trunk block
muirapinima (palo tortuga) wood.

Schultes & Smith Collection

Region around Mocoa Dec. 5

2000 - Passiflora - flowers outside cream, inside maroon
2001 - Passiflora - flowers red
2002 - ~~Sapindaceae~~ Vine - fruits red, seeds white.
2003 - Cecropia
2004 - Piper
2005 - Costus - diarrhoea
2006 - Musaceae "platanillo" (Inga name same)
2007 - Piper
2008 - ~~Piper~~
2009 - Composite

Trail from "El Silencio" to Mocoa Dec. 3-4

2010 - Bomarea
2011 - Scoparia flowers white with purple
2012 - flowers orange
2013 ~~Scoparia~~ red
2014 Begonia flowers white
2015 Orchid
2016 arrow shaped red
2017 Scoparia flowers white
2018 Browallia speciosa Inganos chew leaves for toothache.

2017 - Sketch in pencil of [illegible]

2018 - [illegible]

2019 - [illegible]

2020 - [illegible]

2021 - [illegible]

Drawn for F

2024 [illegible] Fl. small, white [illegible]
pan.

2025 [illegible] Fine [illegible]

2026 [illegible] [illegible]

2027 [illegible] ragamandor cascara punta para cubrir cocinada, sale en el agua

2028 [illegible]

2029 Small Fin - [illegible]

2030 Small fin - [illegible]

2031 Cyprinus sp.? Small fin.

Portweg b. casa diroccata. Nuova.

2032 Typha sp. Robinia pseudacacia ♀ latifo-
2033 Cynosurus ♀ ad. Lolium perenne
Poa sp. Avena sterilis (Avena Ludo.) Hügel
Lolium
2034 ♀ Festuca Lolium multiflorum Poa sp.
2035. Lolium ♀ ad. Festuca Dactylis
2036 Cynosurus Lolium ad. Poa sp.
Dactylis
2037. Typha Robinia pseudacacia Festuca Lolium
Poa sp. Avena sterilis.
2038 Typha. Lolium ad. Festuca Poa sp.
Avena sterilis Cynosurus Robinia
2039. Robinia ♀ Festuca Lolium
Avena sterilis
2040 Robinia pseudacacia Dactylis
2041 Typha Robinia pseudacacia ♀
2042 Olmo Festuca Poa

No. 6 Nuova Forte NE. 820 m.

2043 Nuova No.

Type of Herrania brevilignlata R.E.Schultes.

2056

Serjania piscatorum

2 spec Econ Herb. Oakes Ames
Sp nov.

Chiococca alba

P. glabella (Sw.) A. Dietr. var. melanostigma Dahlst.

Mandevilla subsagittata (R. & P.) Woodson.

2090 Syphilis-system [illegible]

2091 Tumors-[illegible], [illegible]
[illegible]

2092 [illegible]
[illegible]

[illegible]

[illegible]

2095 [illegible] [illegible] [illegible]
[illegible]

2096 [illegible]

2097 [illegible]

2,095 Circumference Hard to get
edible [illegible]

2,097 [illegible] — Lemon

Lemon white with [illegible] Used for
[illegible]

3,099 Physiological (energy) Acetic acid
[illegible] applied [illegible] [illegible]

3,101 Used [illegible] for [illegible]
[illegible] "[illegible]"

December 8 [illegible]

3,102 Boys Brothers Plain [illegible]
Department =
Used for flavoring & dyeing [illegible] Used with mix
[illegible] for flavoring [illegible]

3,103 Tools of [illegible] from [illegible]
Tree (Acacia [illegible]) Elephant [illegible]
"[illegible]" Used [illegible]
[illegible] Boys [illegible]

viscera

3 [illegible] Peppermint Applejelly

3 c 10 [illegible] Apple juice [illegible]
[illegible]

3 c 11 Vanilla pp. Heat to glamorous foods &
as for [illegible] Fudge. Pour into [illegible]
Rectangular pan [illegible]

3 c 12 Chocolate Fondant [illegible]
[illegible] Let it
be used "cold" as [illegible] for [illegible]
[illegible] [illegible] Apricots. Apply
[illegible] as [illegible] of Marshmallow

3 c 13 [illegible] [illegible] Marshmallow [illegible]
[illegible] [illegible]

3 c 14 Fruit Jam. [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible]

P. emarginella (Sw.) C. DeCandolle

3,044 bacoambô "remédio para lingüela"

Fri. Dec. 12: Daga from Santiago.

yerba en general – úksa
arbol – káspi
madera – káspi
raíz – ángo
ramo – kaspi-panga
corteza – kuchúsa
flor – tochto
hoja – panga
fruta b comer – mi kum ga pa
semilla en general – same
helechio – same
naranjillo – same
borrachero – amarón borracheza (to bathe skin in evergreens)
D. arborea
huarúme borrachera Rum. for headache (leaves)
espuma – same
pepas de palmas – mui'yo
resina – copal'
goma – "
bejuco – huasca
parásitos – tochto
caita – huero

maizi sára

maizi planta (caña) ~~chuiza~~ - huero

maizi granos - sara - múro

" mazorca (ncus) sára

arracacha - sama

papa en general - sama

papa guata - guata papa

" chaucha - chaucha papa

frijol en general - poroto

clases de frijoles -

nocanchi poroto (pintada)

Pofoyan poroto (yellow)

arroz - sama

caña de azucar - huero azucar

café - café - café kagi

trigo, planta - trigo

trigo semilla - no special name

trigo flour - arina

~~maiz~~ paja - huasi paúja (huasi = casa)

clases de maizes

maizi morrocho - sára morrocho

maizi kapia - sára kapia

maizi negro - ~~para negro~~ ya na sára

naranja – [illegible]
limón – same

chicha de maiz – sarasara
arepa – same word.
tortilla – sara tortilla
cebada – same
platano – same
platanero – same
chonta – same
manzana – same (no hay aquí)
sandía – same
calabaza – calabaza { calabaza blanca / " amarilla – hija calabaza / " verde
yuca (clase) – [illegible] same
yuca blanca – same clase
yuca amarilla – hija same
yuca [illegible] – yuca same
fríjol – same
barbascos { blanco / colorado } same word. Not same – plantago.
curare – same word – ambiaja (fríjol de bejuco)
coca – same
ceniza para usar con coca – utchipa or manbé Not same? Plantago?
caña brava – same
palma real – same
cocos – no hay here
fríjol – calaya – shabuer
ají – mútcho

plátanillo (yellow): hue tin se fanga
verbena – pi'chenga
botoncillo – same
guamo – ,, hue ?
Chilka – same
calaguala – no hay
yoco – same (no hay)
yajé – cayahuasca (no hay) mijo nitil
do not see
mora – same
moquillo – kwilalón
bamboo – flecha-kasé
piña – chu kuilya
papaya de tierra fria – chulo tsua
musco –
cebollas – same

Road from Neera to Sedqueta
Dakuben 9 about 4200 ft. Near above
Pepino
3,046 Bush. Solanum. Cult. above Pepino H. Hunik.

3,047 White flowering, fragrant Malvaceous tree. 15 ft. tall.

3,048 Large bush. Piper sp. Poison

3,049 Solanum sp. Large shrub or small tree erect 8-12 ft. tall. Fl. white Life zones with jungle

3,050 Cyathula sp. Fl. pink white

3,051 Small shrub terrestrial. Fl. white + purple spots. Life zone

Libonia — Dec. 10/11

3,052 Lonchocarpus Fl. red

3,053 Bush with dark yellow flow
Malpighiaceae "Pelotaria"
Loja "Rua-tia-na-fanga" "Chipanaka

3,054 Tournefortia. Fl. white

3,055 Cuphea. Fl. purple.
"fraile"

3,056 Tabernaemontana sp. "pelo mono"
"Bruno trabla" Loja. Fl. pale pink

3,057 Mucuna sp. Fl. white

3,058 Calceolaria sp. Fl. yellow,
"Bolsa de Toro" "zapatitos Loja"
(zapato del gaucho)

3,059 Plantago sp. "Jamaica" Bruin
Jamaica.

3,060 Boraginaceae? "Gallinão" Braga
Valor de cabeça. Braga

3,061 Fl. red. Fuchsia? Rubatschka?
Plume Hill "

3,062 Cuphea? Fl. blue Braga.
"Saindotoche"

3,063 Small yellow Comp. "Jambeiro"
Braga

3,064 Eupatorium? Fl. light violet
Chatham Island" Plant grows
afs across stream with small yellow
fls

3,065 Verbena sp. "Santa Maria" Pennell
de vieta. Braga.

3,066 Oxalis? Fl. yellow. Big "Chicha"
bulbs for food.

3,067 Arachnanthus sp.
"Leonardella" sp. Amphianthus?
Farfallinae fam. fl. yellow

3,068 Ventromyaria Carlgren.

3,069 Equicetum sp.? "Tortorilla"

3,070 Zoanthus sp. Fl. red. Rock.

3,071 Umbrella sp. Brown. Fruit eaten.

3,072 Stomphia sp. "Corpus de rosa"

3,073 Galaxea Fl. blue Reef.

3,074 Yellow comp. Rock.

3,075 Red Anemone sp. "Meandrella"
"Eunicochlis" Tree.

3,076 Lo tuna sp. Fl. white Cat.
"Cucumber" Baja Plantation

3,077 Papaw Af Small tree.

3,078 Gramineae? Fruits fish-poison.

3,079 Rubiaceae Af "Bois-sente" Native fish poison.

3,080 ? "Tanta" Sp. Pan de cerna.

3,081 Cucurb. "sapotille" Cult.

3,082 Leucaena? Fl. yellow.

3,083 Sterculia, "Pucalbuschen" Peruvian

3,084 Sterculia apetala Sp. Fl. red Fruit Sandbox? bombay.

3,085 Rhamnaceae? Small tree, "Campanilla"

3,082 Viola Purpurea
"Collecta-Ala" ??

3,087 Phaseolus Fl. White. "Scarlet
Runner" Cult.

3,088 Cyperus sp. "Cachemire"

3,089 Epidendrum Fl. red-purple.

3,090 Orchis Fl. yellow of Barbeyan
Fragrance of cinnamon

3,091 Convolvulus Fl. pink, mixed white
& pale with purple -

December 13–14 BK 1930 m.
Plateau de Tenchillo 3
8,370

3,092 Anthemis sp.

3,093 Low Comp. Shrub Senecio?
10 ft tall. Heads
branch ends with leaves
at base

3,094 Hieracium: Fl. rose with
red spots.

3,095 Plant. Fl. white. Leaf entire
[illegible] fringed with white [illegible]

3,096 Lepidium Fl. pl. Fl.
Lepidium Schultzianum Engler. Type

3,097 Senecio Helleri

3,098 Senecio Wimmeri

3,099 Carex sp. Fl. fruit.

3,100

3,101

3,102

3,103

3,104

3,105

3,106

3,107

3,108 Farm.

3,109 Tall Sandstone Rock [illegible]

3,110 Pepper Shaker [illegible]

3,111 [illegible]

3,112 Very Large [illegible]

3,113 [illegible]

3,114 [illegible]

3,115 [illegible]

3,116 [illegible]

3,117 Hypericum [illegible]

3,118 [illegible]

3,119 [illegible]

N. Tremula var. subcaerulea (Tidestr.) Boivin

3,120 [illegible]

3,121 [illegible]

3,122 [illegible]

3,123 [illegible]

3,124 [illegible]

3,125 [illegible]

3,126 Musa [illegible] Sapale [illegible] Fruits oval at [illegible] yellow at top [illegible] of [illegible] Fiji Islands [illegible] Aug.

3,127 Tree. Fl. [illegible] [illegible] Fruit [illegible]

3,128 [illegible]

3,129 [illegible]

3,130 [illegible]

3,131 [illegible]

3,132 [illegible]

3,133 ~~Carica Papaya~~ Moore Dec. 6.

Saturday Dec 15.

3,133 Silene - Plant in cañon - 2 stems. Named for the "polka".

3,134 Mysocin "Sand" Flowers for collection.

3,135 Epilobium ? ft. fragrant. All parts green - yellow.

3,136 Fragaria sp. Wild. Fruit ripe

3,137 Clarkia ? Small var.

3,138 Nemophila ? Small var. Little north of town. W. foothills on Agua Caliente Rd. S. of Pasqual's ranch. Annual Dense

3,139 Vaccinium sp. ft white fading about

3,140 Orthocarpus ft. yellow, pink and with brown.

3,141 "Paka dil monte" Flagstaff
Tarbes.

3,142 Maiz morado Kamsá - tser-way-itah'
8 mos. planted March - June.

3,143 Maiz pintado Kamsa pinta mitahi
8 mos. Pl. March - June.

3,144 Maiz kapioso Kamsá Shang-wē-tatahe 8 mos.
Pl. March - June. ~~Inga~~: Used for flour, Soffer.

3,145 Maiz kapio Kamsá Kapitahē
8 mos. Pl. May, June, July. Inga Sára-kapia

3,146 maiz grueso ~~Sib~~ Kamsá "Sta jō-shatahē"
8 mos. planted March - June Shang-wē-tatahe

3,147 "maiz moracho" K. = "shwinj-mukā"
8 mos. March - June I. = "Sáca moracho"

3,148 "maiz colorado" K. = "Shwanja mūtahē"
8 mos. March - June

Pototoyaco, Valle de Sibundoy, Putumayo. Dec. 16.

3,149 Orchid Sep. + petals. white pink tinted;
lip mostly pink, yellowish lip; Column same.

3,150 Anciduim sp. Sep & pet. red brown. yellow in spots. Lip yellow; lower half of lip red brown.
Colum red brown & yellow.

3,151 Laelia? Fl. all white. Lg. + petals slightly tinged with purple. Base of lip yellow.

SIBUNDOY Dec. 17

3,152 Ava Vicia Faba K= tzum beah.

3,153 Thibaudia sp. armaluto K=Kui-dowf.

3,154 Calla sp. Cult. K. bi-bi-a

3,155 Barbacenia K. barbakwanuch.
Root erect, 2 yrs. One pt of root upland in pond. Yaatè? Araceae. Does not flower.

3,156 Erythraea edulis? "Poreto" K. tzum-beah

Kamsá Agricalth
chagra = ~~jafañe~~ ja jañi
usually away from house in flat land or Str. valley. 2-3 to 15 hectares. One person + fam. does all work. Men only cut forest but ~~otemrea~~ men + women do same labour in cultivations. Children 7+ up do work. maiz kept in same house in "soberado" above rafters with wood planking. Trouble with (tomi añe) mice + rats + insects.
~~Dicoscorea~~ Cocchoa all through yr. small, but large ones in March-April-May. Usually lasts all through yr.
ajis 3 varieties (1 ~~aji~~ rocoto (amarillo) — ~~rokotüsh~~ rokotüsh
2 colorados ~~tot-sha~~ } tot-sa
planted near the house, usually not in the chagra. } ~~[illegible]~~

3157 Cucurbita [illegible] Dec 6.

3158 Cucurbita [illegible] Dec 6.

3159 Seeds of Bomarea Páramo de Jáuá, Norte de Santander, Oct. 1941 received Bogotá Jan 4 1942

3160 Zea Maya maiz pipi Jan 4. Market Bogota.

3161 "aji" Capsicum green, yellow.

3162 "aji" Small Capsicum

3163 "aji" Red.

3164 Fresa chilena

3165 Ahuyama Cucurb. max. Photo ~~XV~~ 6

3166 Sandía Citrullus vulgaris.

3167 Papaya melona Photo ~~XV~~ 7

3168 Tomate Photo ~~XV~~ 4

3169a Papaya Solanera Photo ~~XV~~ 8

~~3170~~

3169b Papaya calentana Photo ~~XV~~ 5

3169c melon chiquita

3169d melon grande

2700 m

Páramo de Guasca, Jan. 22, 1942.
R E Schultes + Roberto Jaramillo M.

3,169 ~~Baccharis~~ (?) sp. Achirosphaera

3,170 Dodonea viscosa

3170A Hoja de Tuta. Trabaja Chicá nuestra y Tuta. Alt. 2700-2750 mts. May 7, 1946

3,171 Alnus. Small trees.
Jorullensis var. ferruginea

3171A bocane. Carrá Papaya

3,172

3,173 ~~Tibouchina~~ ~~Dryonochaetus mystrodeum~~ Fl. purple.

3,174 Weinmannia 25 feet tall. Fl. white + red, tree 15-
~~floc~~ fagaroides ~~Hecho~~. H.B.K.
microphylla

3,175 ~~Vaccinium~~ Gaultheria ~~fruto~~ Fl. white. Bush 5 ft tall.

3,176 ~~Small orchid Ep. : Fl. red~~. Fl. reddish.

3,178 Epiph. ~~Epidendrum~~ Fl. yellow.

3,179 Melastomaceae Shrub 10 ft.

3,180 ~~Bomarea~~ Sen. Jahlschlbea

3,181 ~~Tibouchina~~ Bouquetia glutinosa

3,182 Solanum tree 15 ft. Fl. white, anth. purple.

3183 Bomarea fl. scarlet

3184 Chelonanthus fl. cream. 6 ft. tall.

3185

3186 Low shrub. Comp.

3187 Clusquea ? Weberbaueri

3188 Halenia fl. cream-white

3189 Drymis Winteri. Tree 20 ft. tall.

3190 Senecio

3191 Centrum bush 5 ft. Corolla yellow, inside brown, black anthers

3192 Wannamina tomentosa Tree 25 ft. tall.

3193 Senecio pulchellus

3194 Befaria corolla pink. bush 6 ft. Pellegrinia gusacensis TOPOTYPICO

3195 Senecio sp.

3196 Puya (photos) Gondotiana

3197 Espeletia Killipii. (photos) TOPOTYPICO

3198 Bomaria fl. orange-red racemose?

3199 Paepalanthus columbianus (photos)

Rosette pl. in swampy spots.

3200A Miconia ? Small tree TOPOTYPICO ?

3201A Wunnianna (photoa petals sepals orange) tall tree Rollottii Killip greenish yellow

3202A allstroemia

3203A Large shrub Comp. Fl. pink Eupatorium

3204A Tall shrub Fl. Blue "tinto" Salvia Lopheolema ? pulata

3205A Brunellaja (small tree) Spc. B. colombiana Cuatr. vaginata

3206A Befaria Bush 4 Fl. Corolla pink R. laxifolia

3207A Baccharis Eupatorium

3208A Baccharis Fl. yellow. Senecio microcheatae

3209A Bush Herpersomelis nitida ?

3210A Wunnianna tomentosa

3211A Yellow Oncidium Odontoglossum

3212A Small shrub

3213A Bush

Salvia 3214A Corn from town of Guasca Jan. 22.

3215A " " Bogota Jan. 28

3216A

3217A

3218A Hypericum Brathys Lam.

3219A

~~3220H~~ 3201 hybrid

Páramo de Guasca alt. 2850–2340 m

22 enero, 1942

3213X

3212X

3214X Orchid

3211X "

3210X

3209X

3208X

3207X

3206X

3205X

3204X

3203X

3202X

3201X

3200X

~~3199~~

"La Amazonia Colombiana" Demetrio Salamanca T. Vol. I Bogota Imprenta Nacional 1916

p 26

p. 27 "arbol del clavo" Dicypellium caryophyllatum seeds macerated + decoction gives "aceite de clavo" ..."en las apartadas regiones del Caqueta se encuentra esta planta en abundancia."

"aceite de copaiba" Cupaifera officinalis — antisifilitic oil. Found like the former only in high dry spots. Holes bored in trunk, only when tree in flower + full moon. Must plug again with "black wax". Only once every 5 yrs.

p. 28 "aceite de anderoba" extracted from triangular seeds of Carapa guayanensis. Yellow color + very bitter. Strong cauterio, for curing ulcers + for giving light. Seeds macerated, pressed + made decoction. Very abundant in Amazonas.

p. 29 "aceite de pataua" " from palm Aenocarpus distichus. The corozo of the palm wrapped in a fibrous pulp from which oil taken which is inodorous + yellow transparente. Better than olive oil. Corozo has a milky juice, nutritive + pleasant.

"aceite de sacuchuba" obtained by cutting bark of Myristica officinalis osebifera, a white, inflam. oil.